# BUGV7.R7003 Treated Plywood Certified for Canada

Page Bottom

## **Treated Plywood Certified for Canada**

See General Information for Treated Plywood Certified for Canada

#### **HOOVER TREATED WOOD PRODUCTS INC**

R7003

154 WIRE RD

THOMSON, GA 30824-7988 USA

Plywood, impregnated by pressure process to reduce combustibility.

#### Pyro Guard, Pyro Guard Plus, PyroXL and Pyro Guard Plus F

|                         | Classification or Rating |                    |  |
|-------------------------|--------------------------|--------------------|--|
| Specie Type<br>or Grade | Flame<br>Spread          | Smoke<br>Developed |  |
| Douglas Fir(+)          | 10                       | 15                 |  |
| Southern Yellow Pine    | 10                       | 5                  |  |

### Exterior Fire X, Type II

|                             | Classification or Rating |                    |
|-----------------------------|--------------------------|--------------------|
| Specie Type<br>or Grade     | Flame<br>Spread          | Smoke<br>Developed |
| Douglas Fir(+)(++)          | 10                       | 35                 |
| Southern Yellow Pine(+)(++) | 15                       | 50                 |

 $Plywood \ in \ the \ form \ of \ sheets, \ planks \ or \ trusses, \ impregnated \ by \ pressure \ process \ to \ reduce \ combustibility.$ 

#### Exterior Fire X, Type II

|                                       | Classification or Rating |                    |  |
|---------------------------------------|--------------------------|--------------------|--|
| Specie Type<br>or Grade               | Flame<br>Spread          | Smoke<br>Developed |  |
| Micro-Lam Southern Yellow Pine(+)(++) | 10                       | 20                 |  |
| Micro-Lam Douglas Fir(+)(++)          | 10                       | 20                 |  |
| Spruce Master Plank(+)(++)            | 10                       | 20                 |  |

- + No evidence of significant progressive combustion in test of 30 min duration.
- ++ No increase in the listed Classification when subjected to the Standard Rain Test.

Last Updated on 2013-07-29

Questions? Print this page Terms of Use Page Top

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".