## Safety Data Sheet

CertainTeed Ceilings

#### Section 1: Identification

Product identifier

**Product Name** Mineral Board Formula 6S

 Cashmere; Cashmere Customline; Cashmere High NRC; Cashmere Style Edge; Fine Synonyms

Fissured High NRC; Sereno Fine Fissured; Sky

Relevant identified uses of the substance or mixture and uses advised against

Recommended use Consult manufacturer for the recommended product use

Details of the supplier of the safety data sheet

Manufacturer CertainTeed Ceilings

P.O. Box 860

Valley Forge, PA 19482

United States

Telephone (Technical) • 800-233-8990 Telephone (General) • 800-782-8777

**Emergency telephone number** 

Manufacturer 800-782-8777

#### Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

**OSHA HCS 2012** Carcinogenicity 1A

Combustible Dust

Label elements

**OSHA HCS 2012** 

**DANGER** 



May cause cancer. Hazard statements •

May form combustible dust concentrations in air.

**Precautionary statements** 

Prevention • Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** • IF exposed or concerned: Get medical advice/attention.

Storage/Disposal • Store locked up.

Dispose of content and/or container in accordance with local, regional, national, and/or

Preparation Date: 03/August/2009 Revision Date: 12/January/2016

Format: GHS Language: English (US) WHMIS, OSHA HCS 2012 international regulations.

Other hazards

**OSHA HCS 2012** 

• Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

**According to: WHMIS** 

#### Classification of the substance or mixture

**WHMIS** 

· Other Toxic Effects - D2A

Label elements

**WHMIS** 



Other Toxic Effects - D2A

Other hazards

**WHMIS** 

 May form combustible dust concentrations in air.
 In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

# Section 3 - Composition/Information on Ingredients

#### **Substances**

· Material does not meet the criteria of a substance.

#### **Mixtures**

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Glass, oxide, chemicals	<b>CAS</b> :65997-17-3	47.5% TO 75%	NDA	OSHA HCS 2012: Not Classified	NDA
Perlite	<b>CAS:</b> 93763-70-3	5% TO 20%	NDA	OSHA HCS 2012: Not Classified	NDA
Cellulose	<b>CAS</b> :65996-61-4	1% TO 19%	NDA	OSHA HCS 2012: Comb. Dust	NDA
Starch	<b>CAS:</b> 9005-84-9	5% TO 15%	NDA	OSHA HCS 2012: Comb. Dust	NDA
Mineral oil, petroleum distillates, solvent- dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	<b>CAS</b> :64742-65-0	< 3.75%	Ingestion/Oral-Rat LD50 • >5000 mg/kg Skin-Rabbit LD50 • >5000 mg/kg	OSHA HCS 2012: Not Classified	NDA
Limestone	<b>CAS:</b> 1317-65-3	0.99% TO 1%	NDA	OSHA HCS 2012: Not Classified	NDA
Polyvinyl alcohol	<b>CAS:</b> 9002- 89-5	< 1%	Ingestion/Oral-Rat LD50 • >20 g/kg	OSHA HCS 2012: Comb. Dust	NDA
Carbonic acid calcium salt (1:1)	<b>CAS</b> :471-34	< 0.2%	Ingestion/Oral-Rat LD50 • 6450 mg/kg	OSHA HCS 2012: Eye Irrit. 2; Skin Irrit. 2	NDA

CAS:14808-0.011% OSHA HCS 2012: Carc. 1A; NDA NDA Quartz 60 - 7TO 0.11% STOT RE 1 (Lungs, Inhl)

#### **Section 4: First-Aid Measures**

#### Description of first aid measures

Inhalation

 Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. If signs/symptoms continue, get medical attention.

Skin

In case of contact with substance, immediately flush skin with running water for at least 20 minutes.

Eye

In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth. Do not give anything by mouth to an unconscious person.

## Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

 All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5: Fire-Fighting Measures

### Extinguishing media

Suitable Extinguishing Media • LARGE FIRE: Water spray, fog or regular foam.

SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

**Unsuitable Extinguishing** 

Media

· No data available

# Special hazards arising from the substance or mixture

**Unusual Fire and Explosion** 

**Hazards** 

 Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

**Hazardous Combustion** 

**Products** 

No data available

# Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

#### Section 6 - Accidental Release Measures

# Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

 Ventilate enclosed areas. Do not walk through spilled material. Use appropriate Personal Protective Equipment (PPE)

**Emergency Procedures** 

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 25 meters (75 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. Keep unauthorized personnel away.

### **Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas.

## Methods and material for containment and cleaning up

# Containment/Clean-up Measures

Avoid generating dust.
 Use clean nonsparking tools to collect material.

Broken or damaged tiles should be picked up and placed in a container. Dust generated from making modifications of tile should be cleaned by wet wiping or filtered

vacuuming.

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient

concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with

compressed air).

# **Section 7 - Handling and Storage**

#### Precautions for safe handling

#### Handling

• Use only in well ventilated areas. Keep away from heat, sparks, and flame. Avoid high humidity climates for long periods of time. Product damage can occur but will not result in any health or safety concerns. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe dust. Avoid contact with skin, eyes, and clothing. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

### Conditions for safe storage, including any incompatibilities

Storage

· Keep container closed. Store in a cool, dry, well ventilated area. Store in low humidity.

### **Section 8 - Exposure Controls/Personal Protection**

## **Control parameters**

Exposure Limits/Guidelines							
	Result ACGIH NIOSH OSHA						
Quartz (14808-60-7)	IIVVAS	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (respirable dust)	Not established			
Carbonic acid calcium salt (1:1) (471-34-1)	TWAs	Not established	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	Not established			
Limestone (1317-65-3)	TWAs	Not established	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)			
Perlite (93763-70-3)	TWAs	Not established	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	Not established			
Glass, oxide, chemicals	TWAs	1 fiber/cm3 TWA (respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination, listed under Synthetic vitreous fibers)  as Glass wool fiber	3 fiber/cm3 TWA (fibers <= 3.5 μm in diameter and >= 10 μm in length); 5 mg/m3 TWA (total)  as Glass wool fiber	Not established			

# **Exposure Control Notations ACGIH**

•Glass, oxide, chemicals as Glass wool fiber: **Carcinogens:** (A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans (listed under Synthetic vitreous fibers))

•Quartz (14808-60-7): Carcinogens: (A2 - Suspected Human Carcinogen)

# **Exposure Limits Supplemental**

**OSHA** 

- •Quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2
- + 2) mg/m3 TWA, respirable fraction)

#### **ACGIH**

•Quartz (14808-60-7): TLV Basis - Critical Effects: (lung cancer; pulmonary fibrosis)

#### **Exposure controls**

#### Engineering Measures/Controls

 It is recommended that dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion supression system or an oxygen-deficient environment. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment).

#### **Personal Protective Equipment**

Respiratory

 For limited exposure use an N95 dust mask. For prolonged exposure use an airpurifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

Wear safety goggles.

Skin/Body

Wear appropriate gloves. Wear long sleeves and/or protective coveralls.

#### **Environmental Exposure** Controls

Follow best practice for site management and disposal of waste.

#### Key to abbreviations

American Conference of Governmental Industrial Hygiene

Threshold Limit Value determined by the American Conference of Governmental Industrial Hygienists (ACGIH)

National Institute of Occupational Safety and NIOSH =

Occupational Safety and Health

Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

# Section 9 - Physical and Chemical Properties

# Information on Physical and Chemical Properties

Solid	Appearance/Description	White/Colored fiberous acoustical ceiling panel face, beige-grey core.
White/colored	Odor	No data available
No data available		
No data available	Melting Point/Freezing Point	No data available
No data available	рН	No data available
2 to 2.5 Water=1	Water Solubility	Negligible < 0.1 %
No data available		
		_
No data available	Vapor Density	No data available
No data available		
-		
No data available	UEL	No data available
	White/colored No data available  No data available No data available 2 to 2.5 Water=1 No data available  No data available No data available No data available	White/colored  No data available  No data available  Melting Point/Freezing Point  No data available  pH  2 to 2.5 Water=1  No data available  No data available  No data available  Vapor Density  No data available

LEL	No data available	Autoignition	No data available		
Flammability (solid, gas)	No data available				
Environmental					
Octanol/Water Partition coefficient	No data available				

# **Section 10: Stability and Reactivity**

# Reactivity

No dangerous reaction known under conditions of normal use.

# **Chemical stability**

Stable under normal temperatures and pressures.

# Possibility of hazardous reactions

· Hazardous polymerization will not occur.

## **Conditions to avoid**

• Avoid creating dusts. Keep away from heat, sparks, and flame.

# Incompatible materials

No data available

# **Hazardous decomposition products**

· None known.

# **Section 11 - Toxicological Information**

# Information on toxicological effects

		Components
Glass, oxide, chemicals (47.5% TO 75%)	65997 -17-3	Tumorigen / Carcinogen: Inhalation-Rat TCLo • 5 mg/m³ 7 Hour(s) 90 Week(s)-Intermittent;  Tumorigenic:Carcinogenic by RTECS criteria; Blood:Leukemia
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) (< 3.75%)	64742 -65-0	Acute Toxicity: Ingestion/Oral-Rat LD50 • >5000 mg/kg; Tumorigen / Carcinogen: Skin-Mouse • 389 g/kg 78 Week(s)-Intermittent; Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Skin and Appendages:Other:Tumors; Tumorigenic:Tumors at site of application
Perlite (5% TO 20%)	93763 -70-3	Acute Toxicity: Ingestion/Oral-Mouse LD50 • 12960 mg/kg
Carbonic acid calcium salt (1:1) (< 0.2%)	471- 34-1	Acute Toxicity: Ingestion/Oral-Rat LD50 • 6450 mg/kg; Irritation: Eye-Rabbit • 750 μg 24 Hour(s) • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation
Limestone (0.99% TO 1%)	1317- 65-3	Multi-dose Toxicity: Inhalation-Rat TCLo • 84 mg/m³ 4 Hour(s) 40 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis (interstitial); Liver:Other changes; Kidney, Ureter, and Bladder:Other changes; Inhalation-Rat TCLo • 250 mg/m³ 2 Hour(s) 24 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis)
		Acute Toxicity: Inhalation-Human TCLo • 16 mppcf 8 Hour(s) 17.9 Year(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Cough; Lungs, Thorax, or Respiration:Dyspnea; Inhalation-Rat TCLo • 200 mg/kg; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Other changes; Nutritional and Gross Metabolic:Changes in Chemistry or Temperature:Fe; Multi-dose Toxicity: Inhalation-Hamster TCLo • 3 mg/m³ 6 Hour(s) 78 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis (interstitial); Lungs, Thorax, or Respiration:Changes in lung

Quartz (0.011% TO 0.11%)	-60-7	weight; Inhalation-Rat TCLo • 80 mg/m³ 26 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Blood:Changes in spleen; Immunological Including Allergic:Decrease in cellular immune response; Inhalation-Rat TCLo • 58 mg/m³ 13 Week(s)-Intermittent; Lungs, Thorax, or Respiration:Other changes; Endocrine:Changes in thymus weight; Blood:Changes in leucocyte (WBC) count;  Mutagen: Micronucleus test • Unreported Route-Hamster • Lung (Somatic cell) • 160 μg/cm³; DNA damage • Unreported Route-Human • Other Cell Type • 120 mg/L 24 Hour(s); Micronucleus test • Unreported Route-Human • Lung (Somatic cell) • 40 μg/cm³;  Tumorigen / Carcinogen: Inhalation-Rat TCLo • 50 mg/m³ 6 Hour(s) 71 Week(s)-Intermittent;  Tumorigenic:Carcinogenic by RTECS criteria; Liver:Tumors
Polyvinyl alcohol (< 1%)	9002- 89-5	Acute Toxicity: Ingestion/Oral-Rat LD50 • 23854 mg/kg; Behavioral:Muscle weakness; Gastrointestinal:Hypermotility, diarrhea; Liver:Other changes

GHS Properties	Classification	
Acute toxicity	OSHA HCS 2012 • No data available	
Skin corrosion/Irritation	OSHA HCS 2012 • No data available	
Serious eye damage/Irritation	OSHA HCS 2012 • No data available	
Skin sensitization	OSHA HCS 2012 • No data available	
Respiratory sensitization	OSHA HCS 2012 • No data available	
Aspiration Hazard	OSHA HCS 2012 • No data available	
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A	
Germ Cell Mutagenicity	OSHA HCS 2012 • No data available	
Toxicity for Reproduction	OSHA HCS 2012 • No data available	
STOT-SE	OSHA HCS 2012 • No data available	
STOT-RE	OSHA HCS 2012 • No data available	

# Potential Health Effects Inhalation

Acute (Immediate)

 Exposure to dust may cause irritation. Processes such as cutting, grinding, crushing, or impact may result in generation of excessive amounts of airborne dusts in the workplace. Nuisance dust may affect the lungs but reactions are typically reversible.

**Chronic (Delayed)** 

• Registry of Toxic Effects of Chemical Substances (RTECS) concludes that repeated or prolonged inhalation of glass, oxide, chemicals may cause leukemia.

#### Skin

Acute (Immediate)

• Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

· No data available

Eye

Acute (Immediate)

 Exposure to dust may cause mechanical irritation. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

Chronic (Delayed)

No data available

Ingestion

Acute (Immediate)

• Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

**Chronic (Delayed)** 

Carcinogenic Effects

No data available

This product contains crystalline silica as cristobalite and/or quartz. IARC
Monographs on Evaluation of Carcinogenic Risk of Chemicals to Humans (Monograph
68, 1997) concludes that there is sufficient evidence for the carcinogenicity of
crystalline silica to humans (IARC Group I). Crystalline Silica is classified as a Known

#### Carcinogen according to NTP.

Carcinogenic Effects				
CAS IARC NTP				
Quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen	
Glass, oxide, chemicals as Glass wool fiber	NDA	Not Listed	Reasonably Anticipated to be Human Carcinogen	

#### Key to abbreviations

LD = Lethal Dose

TC = Toxic Concentration

# **Section 12 - Ecological Information**

## **Toxicity**

Material data lacking.

## Persistence and degradability

Material data lacking.

# Bioaccumulative potential

Material data lacking.

#### Mobility in Soil

Material data lacking.

#### Other adverse effects

· No known significant effects or critical hazards.

# **Section 13 - Disposal Considerations**

#### Waste treatment methods

**Product waste** 

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

# **Section 14 - Transport Information**

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

· No data available

# Section 15 - Regulatory Information

# Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Chronic, Pressure(Sudden Release of)

Inventory				
Component	CAS	Canada DSL	Canada NDSL	TSCA
Carbonic acid calcium salt (1:1)	471-34-1	Yes	No	Yes
Cellulose	65996-61-4	Yes	No	Yes
Glass, oxide, chemicals	65997-17-3	Yes	No	Yes
Limestone	1317-65-3	No	Yes	Yes
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent- refining or hydrotreatment)	64742-65-0	Yes	No	Yes
Perlite	93763-70-3	Yes	No	No
Polyvinyl alcohol	9002-89-5	Yes	No	Yes
Quartz	14808-60-7	Yes	No	Yes
Starch	9005-84-9	Yes	No	Yes

#### Canada

_abor		
Canada - WHMIS - Classifications of Substances	0=000 04 4	
• Cellulose	65996-61-4	Not Listed D2A (expanded, containing >0.1% Crystalline silica);
• Perlite	93763-70-3	Uncontrolled product according to WHMIS classification criteria (expanded)
• Starch	9005-84-9	Uncontrolled product according to WHMIS classification criteria (including 1%)
Limestone	1317-65-3	D2A
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Uncontrolled product according to WHMIS classification criteria
• Quartz	14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specif Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
• Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
Canada - WHMIS - Ingredient Disclosure List	3002 00 0	THOI EIGIGG

Cellulose	65996-61-4	Not Listed	
• Perlite	93763-70-3	Not Listed	
• Starch	9005-84-9	Not Listed	
• Limestone	1317-65-3	Not Listed	
Glass, oxide, chemicals	65997-17-3	Not Listed	
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed	
• Quartz	14808-60-7	1 %	
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed	
Polyvinyl alcohol	9002-89-5	Not Listed	

#### Environment

Compade CERA Brigarity Culpatomass List		
Canada - CEPA - Priority Substances List		
Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
• Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed

#### **United States**

.S OSHA - Process Safety Management - Highly Hazardous Chemicals		
Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
<ul> <li>Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent- refining or hydrotreatment)</li> </ul>	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
I.S OSHA - Specifically Regulated Chemicals		
• Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
<ul> <li>Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent- refining or hydrotreatment)</li> </ul>	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed

Environment
U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Cellulose 65996-61-4 Not Listed

• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
<ul> <li>Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)</li> </ul>	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
H.O. OFPOLAZOARA Harandana Onkatarana and their Remortalities		
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities  • Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
	1317-65-3	Not Listed
• Limestone		
Glass, oxide, chemicals     Corbonia said calcium salt (1:1)	65997-17-3 471-34-1	Not Listed
Carbonic acid calcium salt (1:1)		Not Listed
• Quartz	14808-60-7	Not Listed
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
II S. CEDCI A/CADA Bodionvolides and Their Departable Quantities		
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities  • Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-	14606-00-7	NOI LISIEU
refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	05000 04 4	Not I lated
• Cellulose	65996-61-4	
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
Limestone  Olars suids shawingle	1317-65-3	Not Listed
• Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
Quartz	14808-60-7	Not Listed
		.101 2.0104

<ul> <li>Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent- refining or hydrotreatment)</li> </ul>	64742-65-0	Not Listed
,	0000 00 5	NI-41 C-4- d
Polyvinyl alcohol	9002-89-5	Not Listed
J.S CERCLA/SARA - Section 313 - Emission Reporting		
• Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
<ul> <li>Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent- refining or hydrotreatment)</li> </ul>	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
J.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
• Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
· · · · · · · · · · · · · · · · ·	4.4000.00.7	Not Listed
• Quartz	14808-60-7	Not Listed
<ul> <li>Quartz</li> <li>Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)</li> </ul>	64742-65-0	Not Listed

## **United States - California**

Environment U.S California - Proposition 65 - Carcinogens List		
Cellulose	65996-61-4	Not Listed
Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	carcinogen, 10/1/1988 (airborne particles of respirable size)
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
• Cellulose	65996-61-4	Not Listed
Perlite	93763-70-3	Not Listed
Starch	9005-84-9	Not Listed
Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed

U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
• Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
• Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
U.C. California Brancaition CF. Bannaductiva Taviaity, Famala		
U.S California - Proposition 65 - Reproductive Toxicity - Female  • Cellulose	65996-61-4	Not Listed
• Perlite	93763-70-3	Not Listed
• Starch	9005-84-9	Not Listed
• Limestone	1317-65-3	Not Listed
• Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Male		
Cellulose	65996-61-4	Not Listed
Perlite	93763-70-3	Not Listed
Starch	9005-84-9	Not Listed
Limestone	1317-65-3	Not Listed
Glass, oxide, chemicals	65997-17-3	Not Listed
Carbonic acid calcium salt (1:1)	471-34-1	Not Listed
• Quartz	14808-60-7	Not Listed
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	64742-65-0	Not Listed
Polyvinyl alcohol	9002-89-5	Not Listed

## **Other Information**

 WARNING: This product contains a chemical known to the State of California to cause cancer.

## **Section 16 - Other Information**

**Revision Date** 

**Preparation Date** 

Disclaimer/Statement of Liability

- 12/January/2016
- 03/August/2009
- As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable Federal and State Laws. However, no warranty or representation with respect to such information is intended or given.

**Key to abbreviations**NDA = No Data Available