

EXTREME ABUSE EXTREME IMPACT

Durable Gypsum Solutions







Protect your walls from the hard hits with CertainTeed's Extreme Drywall Line

Extreme Abuse and Extreme Impact Gypsum Boards provide increased protection and durability required for areas subjected to repeat wear and tear.


EXTREME ABUSE

Provides the increased protection and durability required for abuse prone areas.

- ✓ M2Tech® Technology for enhanced mould and moisture protection
- ✓ Type X fire resistant board
- ✓ Lightweight, low cost solution compared to traditional masonry

092166 NMS Canada (Section 092900 US)

Ideal for use in areas such as classrooms, hotel lobbies, patient rooms and public buildings.




EXTREME IMPACT

Fiberglass reinforcement provides the highest level of ASTM classification for soft and hard body impact resistance in the industry.

- ✓ M2Tech® Technology for enhanced mould and moisture protection
- ✓ Type X fire resistant board
- ✓ Lightweight, low cost solution compared to traditional masonry

092166 NMS Canada (Section 092900)

Ideal for use in hospital corridors, gymnasiums, utility rooms, airport terminals and public buildings.





Outstanding performance in all categories of abuse and impact

ASTM C1629	Surface Abrasion	Soft Body Impact	Hard Body Impact	Indentation Resistance
ASTM Test Method	ASTM D4977 Tests resistance to scuffs and scratches: Board was subjected to abrasive back and forth motion of a wire brush for 50 cycles with 11.3 kg (25 lb) total load	ASTM E695 Tests impact of heavy soft objects: 27.2 kg (60 lb) of steel pellets in standard leather bag swung through an angular distance towards the board	ASTM C1629 Annex A. 1 Tests resistance to hard objects into stud cavity: Board was struck with weighted steel ram with increasing weight added until board surface is penetrated	ASTM D5420 Gardner Impact Tests resistance to dents from small hard objects: 0.9 kg (2 lb) weight dropped onto hemispherical die on board from height of 91 cm (36"), striking with impact energy of 83 kg / cm (72 inch-pounds)
EXTREME ABUSE Classification Levels*	3	2	1	1
EXTREME IMPACT Classification Levels*	3	3	3	1

^{*}The highest possible classification level is 3.

CertainTeed drywall and corner systems are designed to work together to create occupant comfort and long lasting performance.

Offer specialized performance and create Wall to Wall solutions for your projects at certainteed.ca/drywall

Sustainable Solutions	Create safe, healthy school, healthcare, hotel and office environments.	M2Tech® Mould and Moisture drywall AirRenew® Indoor Air Quality drywall Diamondback® Tile Backer GlasRoc® Sheathing
Acoustical Solutions	Create quieter learning, working and healing spaces.	SilentFX® QuickCut™ Acoustical drywall
Durable Solutions	Create durable, versatile drywall and corner systems for high traffic areas.	Extreme Abuse drywall Extreme Impact drywall Habito® drywall No-Coat® Corner solutions

Programs available designed to help architects

Contact a rep or visit www.certainteed.ca/drywall/sustainability to learn more about our products and schedule a CEU



Environmental Product Declarations (EPDs)



Health Product Declarations (HPDs)



LEED calculator ecoScorecard





Proud partners with USGBC and CAGBC

Continuing Education courses available, including:



BSS71: Using Product Transparency BSS74: Wallboard Finishing informations to Design More Sustainable Buildings

and Performance Corners

BSS72: Acoustics for Design of Commercial Buildings



CertainTeed Corporation

2424 Lakeshore Rd. W. Mississauga, ON L5J 1K4 www.certainteed.ca

ASK ABOUT ALL OF OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE **GYPSUM • CEILINGS • INSULATION**

Professional: 800-233-8990 Consumer: 800-782-8777